




TECH<sup>®</sup>  
LIGHT



# LED PROFILES

2024 / 2025





TECH<sup>®</sup>  
LIGHT

# CONTENTS

<b>STANDARD PROFILES ..... 2</b>	P15-1 ..... 10	P22-8 ..... 20
P2-1 ..... 2	P16-1 ..... 10	P22-10 ..... 20
P2-2 ..... 2	P17-1 ..... 11	P23-1 ..... 21
P3-1 ..... 2	P17-2 ..... 11	P23-2 ..... 21
P3-2 ..... 2	P17-3 ..... 11	P23-3 ..... 21
P3-3 ..... 3	P17-4 ..... 11	P23-7 ..... 21
P3-4 ..... 3	P18-1 ..... 11	P23-8 ..... 21
P3-5 ..... 3	P18-2 ..... 12	P23-10 ..... 22
P3-6 ..... 3	P18-3 ..... 12	P26-1 ..... 22
P4-1 ..... 3	P18-4 ..... 12	P26-2 ..... 22
P4-2 ..... 4	P19-1 ..... 12	P26-3 ..... 22
P4-3 ..... 4	P25-1 ..... 12	P27-1 ..... 22
P4-4 ..... 4	P25-2 ..... 13	P27-2 ..... 23
P4-10 ..... 4	P25-3 ..... 13	P27-3 ..... 23
P5-1 ..... 4		P27-7 ..... 23
P5-2 ..... 5	<b>HERMETIC PROFILES ..... 14</b>	
P5-4 ..... 5	P11-1 ..... 14	<b>COVERS ..... 24</b>
P5-10 ..... 5	P11-2 ..... 14	C0 ..... 24
P6-1 ..... 5	P11-3 ..... 14	C1 ..... 24
P6-2 ..... 5	P24-1 ..... 14	C2 ..... 24
P6-2.5 ..... 6	P24-2 ..... 15	C4 ..... 24
P6-3 ..... 6	P24-3 ..... 15	C5 ..... 25
P6-4 ..... 6		C6 ..... 25
P6-5 ..... 6	<b>PLASTER-IN PROFILES ..... 16</b>	C6 ..... 25
P6-6 ..... 6	GK4-1 ..... 16	C7 ..... 25
P7-1 ..... 7	GK4-2 ..... 16	C7 ..... 25
P8-1 ..... 7	GK4-3 ..... 16	C8 ..... 26
P9-1 ..... 7	GK6-3 ..... 16	C9 ..... 26
P10-1 ..... 7	GK14-3 ..... 17	C10 ..... 26
P10-3 ..... 7	GK18-3 ..... 17	C11 ..... 26
P10-4 ..... 8	GK22-7 ..... 17	C12 ..... 26
P10-6 ..... 8	GK23-7 ..... 17	C13 ..... 27
P10-8 ..... 8	GK26-3 ..... 17	C15 ..... 27
P10-10 ..... 8	GK27-7 ..... 18	C16 ..... 27
P12-1 ..... 8		C17 ..... 27
P12-2 ..... 9	<b>ARCHITECTURAL PROFILES ..... 19</b>	C18 ..... 27
P13-1 ..... 9	P1-1 ..... 19	C19 ..... 28
P14-2 ..... 9	P20-1 ..... 19	C20 ..... 28
P13-2 ..... 9	P21-1 ..... 19	C21 ..... 28
P13-3 ..... 9	P22-1 ..... 19	C22 ..... 28
P13-10 ..... 10	P22-2 ..... 20	C23 ..... 28
P14-1 ..... 10	P22-3 ..... 20	C24 ..... 29
P14-3 ..... 10	P22-7 ..... 20	

# STANDARD PROFILES

## P2-1



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
black anodised  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P2-2



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 2x12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P3-1



### PROFILE TYPE

corner

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
black anodised  
anthracite grey  
others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P3-2



### PROFILE TYPE

corner

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm,  
3000-6000 mm (on demand)

### PROFILE COVERS

C17, C18

## P3-3



### PROFILE TYPE

corner

### LED TAPE WIDTH

up to 3x8 mm  
up to 2x12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm,  
3000-6000 mm (on demand)

### PROFILE COVERS

C7

## P3-4



### PROFILE TYPE

corner

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm,  
3000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P3-5



### PROFILE TYPE

corner (micro line)

### LED TAPE WIDTH

up to 5 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C21

## P3-6



### PROFILE TYPE

corner

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C17, C18

## P4-1



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
black anodised  
anthracite grey  
raw aluminium  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P4-2



### PROFILE TYPE

surface (micro line)

### LED TAPE WIDTH

up to 8 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
black anodised  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C10

## P4-3



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P4-4



### PROFILE TYPE

surface (micro line)

### LED TAPE WIDTH

up to 5 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
black anodised  
anthracite grey  
others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C21

## P4-10



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P5-1



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P5-2



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in gold  
 painted in black  
 anthracite grey  
 others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P5-4



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in gold  
 painted in black  
 anthracite grey  
 others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P5-10



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P6-1



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in gold  
 painted in black  
 black anodised  
 anthracite grey  
 others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P6-2



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in gold  
 painted in black  
 black anodised  
 anthracite grey  
 others - on demand

### LENGTH



1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

NEW

## P6-2.5



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P6-3



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P6-4



### PROFILE TYPE

recessed (micro line)

### LED TAPE WIDTH

up to 5 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C21

## P6-5



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P6-6



### PROFILE TYPE

recessed (micro line)

### LED TAPE WIDTH

up to 8 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)


### PROFILE COVERS

C10

NEW



## P7-1



## PROFILE TYPE

corner

## LED TAPE WIDTH

up to 12 mm

## COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
anthracite grey  
others - on demand



## LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

## PROFILE COVERS

C1, C4, C11, C13, C22

## P8-1



## PROFILE TYPE

bar

## LED TAPE WIDTH

up to 12 mm

## COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand


## LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

## PROFILE COVERS

C1, C4, C11, C13, C22

## P9-1



## PROFILE TYPE

surface

## LED TAPE WIDTH

up to 12 mm

## COLOUR VERSIONS



silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

## LENGTH

1000 mm, 2000 mm,  
3000-6000 mm (on demand)

## PROFILE COVERS

## P10-1



## PROFILE TYPE

glass

## LED TAPE WIDTH

up to 12 mm

## COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



## LENGTH

1000 mm, 2000 mm,  
3000-6000 mm (on demand)

## PROFILE COVERS

C1, C4, C13

## P10-3



## PROFILE TYPE

glass

## LED TAPE WIDTH

up to 12 mm

## COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



## LENGTH

1000 mm, 2000 mm, 3000-6000  
mm (on demand)

## PROFILE COVERS

C20

## P10-4



### PROFILE TYPE

glass

### LED TAPE WIDTH

up to 10 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm,  
3000-6000 mm (on demand)

### PROFILE COVERS

C19

## P10-6



### PROFILE TYPE

glass

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS



silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

## P10-8



### PROFILE TYPE

glass

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS



silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

## P10-10



### PROFILE TYPE

glass

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS


silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

## P12-1



### PROFILE TYPE

corner

### LED TAPE WIDTH

up to 3x8 mm  
up to 2x12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C12

## P12-2



### PROFILE TYPE

stairs

### LED TAPE WIDTH

up to 8 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand

### LENGTH



1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C10

NEW

## P13-1



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 3x8 mm  
 up to 2x12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C2

## P14-2



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 2x8 mm  
 up to 1x12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C15

## P13-2



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 2x8 mm  
 up to 1x12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C15, C23

## P13-3



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 2x8 mm  
 up to 1x12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand

### LENGTH


1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C15, C23

NEW

## P13-10



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 2x8 mm  
up to 1x12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C15

## P14-1



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 3x8 mm  
up to 2x12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C2

## P14-3



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 2x8 mm  
up to 1x12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C15, C23

## P15-1



### PROFILE TYPE

skirting board

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C13

## P16-1



### PROFILE TYPE

skirting board

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C13

## P17-1



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C13

## P17-2



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C13

## P17-3



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C13

## P17-4



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C13

## P18-1



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C13

## P18-2



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P18-3



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P18-4



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## P19-1



### PROFILE TYPE

bar

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C13

## P25-1



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 11 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C9

## P25-2



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 11 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C9

## P25-3



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 11 mm

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand

### LENGTH



1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C9

# HERMETIC PROFILES

## P11-1



### PROFILE TYPE

waterproof

### LED TAPE WIDTH

up to 10 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C5

## P11-2



### PROFILE TYPE

waterproof

### LED TAPE WIDTH

up to 10 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C5

## P11-3



### PROFILE TYPE

waterproof

### LED TAPE WIDTH

up to 10 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C5

## P24-1



### PROFILE TYPE

waterproof (walk over)

### LED TAPE WIDTH

up to 2x8 mm  
up to 1x12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LENGTH



1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C5



## P24-2



### PROFILE TYPE

waterproof (walk over)

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand

### LED TAPE WIDTH

up to 5x8 mm  
 up to 4x10 mm  
 up to 3x12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

### PROFILE COVERS

C8

## P24-3



### PROFILE TYPE

waterproof (walk over)

### COLOUR VERSIONS

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand

### LED TAPE WIDTH

up to 12 mm

### LENGTH

1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)



### PROFILE COVERS

C5, C24

**NEW**

# PLASTER-IN PROFILES

## GK4-1



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C13

## GK4-2



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C13

## GK4-3



### PROFILE TYPE

surface

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C15

## GK6-3



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## GK14-3



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 2x8 mm  
up to 1x12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C15, C23

## GK18-3



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C11, C13, C22

## GK22-7



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 3x8 mm  
up to 2x12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand


### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C7, C7 prism, C7 aluminium

## GK23-7



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 3x8 mm  
up to 2x12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C6, C6 prism, C6 aluminium

## GK26-3



### PROFILE TYPE

recessed

### LED TAPE WIDTH

up to 12 mm

### COLOUR VERSIONS


silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C13


**GK27-7**
**PROFILE TYPE**

recessed

**COLOUR VERSIONS**

silver anodised  
 painted in white  
 painted in black  
 anthracite grey  
 others - on demand

**LED TAPE WIDTH**

up to 6x8 mm  
 up to 5x10 mm  
 up to 4x12 mm

**LENGTH**



1000 mm, 2000 mm, 3000 mm  
 4000-6000 mm (on demand)

**PROFILE COVERS**

C16, C16 aluminium

# ARCHITECTURAL PROFILES

## P1-1



### PROFILE TYPE

architectural

### LED TAPE WIDTH

LED module up to 55 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm,  
3000-6000 mm (on demand)

### PROFILE COVERS

C0

## P20-1



### PROFILE TYPE

architectural

### LED TAPE WIDTH

up to 5x8 mm  
up to 4x10 mm  
up to 3x12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C6, C6 prism, C6 aluminium

## P21-1



### PROFILE TYPE

architectural

### LED TAPE WIDTH

up to 5x8 mm  
up to 4x10 mm  
up to 3x12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C6, C6 prism, C6 aluminium

## P22-1



### PROFILE TYPE

architectural

### LED TAPE WIDTH

up to 3x8 mm  
up to 2x12 mm

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
anthracite grey  
others - on demand



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C7, C7 prism, C7 aluminium

## P22-2



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 3x8 mm  
up to 2x12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C7, C7 prism, C7 aluminium

## P22-3



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 3x8 mm  
up to 2x12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C7, C7 prism, C7 aluminium

## P22-7



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 3x8 mm  
up to 2x12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C7, C7 prism, C7 aluminium

## P22-8



### PROFILE TYPE

suspended

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C7, C7 prism, C7 aluminium

## P22-10



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 3x8 mm  
up to 2x12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C7, C7 prism, C7 aluminium

## P23-1



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 5x8 mm  
up to 4x10 mm  
up to 3x12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C6, C6 prism, C6 aluminium

## P23-2



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 5x8 mm  
up to 4x10 mm  
up to 3x12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C6, C6 prism, C6 aluminium

## P23-3



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in gold  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 5x8 mm  
up to 4x10 mm  
up to 3x12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C6, C6 prism, C6 aluminium

## P23-7



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 3x8 mm  
up to 2x12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C6, C6 prism, C6 aluminium

## P23-8



### PROFILE TYPE

suspended

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C6, C6 prism, C6 aluminium

## P23-10



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 5x8 mm  
up to 4x10 mm  
up to 3x12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C6, C6 prism, C6 aluminium

## P26-1



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C13

## P26-2



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C6, C13, C6 aluminium

## P26-3



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C1, C4, C6, C13, C6 aluminium

## P27-1



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 6x8 mm  
up to 5x10 mm  
up to 4x12 mm

### LENGTH



1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C16, C16 aluminium



## P27-2



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 6x8 mm  
up to 5x10 mm  
up to 4x12 mm


### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C16, C16 aluminium

## P27-3



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 6x8 mm  
up to 5x10 mm  
up to 4x12 mm



### LENGTH

1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C16, C16 aluminium

## P27-7



### PROFILE TYPE

architectural

### COLOUR VERSIONS

silver anodised  
painted in white  
painted in black  
anthracite grey  
others - on demand

### LED TAPE WIDTH

up to 6x8 mm  
up to 5x10 mm  
up to 4x12 mm

### LENGTH



1000 mm, 2000 mm, 3000 mm  
4000-6000 mm (on demand)

### PROFILE COVERS

C16, C16 aluminium

# COVERS

## C0



### COLOUR - TRANSMITTANCE

 Opal

70%


### LENGTH

2000 mm

### TO PROFILE

P1-1

## C1



### COLOUR - TRANSMITTANCE

 Transparent

98%

### LENGTH

1000 mm

 Opal

70%

2000 mm

 Matt Opal

63%

3000 mm

 Black



38%

10 m (roll)

### TO PROFILE

P2-1, P2-2, P3-1, P3-4, P4-1, P4-3, P4-10, P5-1, P5-2, P5-4, P5-10, P6-1, P6-2, P6-2.5, P6-3, P6-5, P7-1, P8-1, P10-1, P15-1, P16-1, P17-1, P17-2, P17-3, P17-4, P18-1, P18-2, P18-3, P18-4, P19-1, P26-1, P26-2, P26-3, GK4-1, GK4-2, GK6-3, GK18-3, GK26-3

## C2



### COLOUR - TRANSMITTANCE

 Transparent

98%

### LENGTH

1000 mm

 Opal

70%

2000 mm

 Black


38%

3000 mm

### TO PROFILE

P13-1, P14-1

## C4



### COLOUR - TRANSMITTANCE

 Opal

70%

### LENGTH

1000 mm


2000 mm

3000 mm

### TO PROFILE

P2-1, P2-2, P3-1, P3-4, P4-1, P4-3, P4-10, P5-1, P5-2, P5-4, P5-10, P6-1, P6-2, P6-2.5, P6-3, P6-5, P7-1, P8-1, P10-1, P15-1, P16-1, P17-1, P17-2, P17-3, P17-4, P18-1, P18-2, P18-3, P18-4, P19-1, P26-1, P26-2, P26-3, GK4-1, GK4-2, GK6-3, GK18-3, GK26-3

## C5



### COLOUR - TRANSMITTANCE


<input type="radio"/> Transparent	98%	1000 mm
<input type="radio"/> Opal	70%	2000 mm
		3000 mm

### LENGTH

### TO PROFILE

P11-1, P11-2, P11-3, P24-1, P24-3

## C6



### COLOUR - TRANSMITTANCE



<input type="radio"/> Transparent	98%	1000 mm
<input type="radio"/> Opal	70%	2000 mm
<input type="radio"/> Matt Opal	63%	3000 mm
<input type="radio"/> Black	38%	10 m (roll)
<input type="radio"/> Montage	0%	
<input type="radio"/> Aluminium	0%	

### LENGTH

### TO PROFILE

P20-1, P21-1, P23-1, P23-2, P23-3, P23-7, P23-8, P23-10, P26-2, P26-3, GK23-7

## C6 PRISM



### COLOUR - TRANSMITTANCE

Prism UGR<19; 90,5%


### LENGTH

1000 mm  
2000 mm  
3000 mm

### TO PROFILE

P20-1, P21-1, P23-1, P23-2, P23-3, P23-7, P23-8, P23-10, P26-2, P26-3, GK23-7

## C7



### COLOUR - TRANSMITTANCE



<input type="radio"/> Transparent	98%	1000 mm
<input type="radio"/> Opal	70%	2000 mm
<input type="radio"/> Matt Opal	63%	3000 mm
<input type="radio"/> Black	38%	10 m (roll)
<input type="radio"/> Montage	0%	
<input type="radio"/> Aluminium	0%	

### LENGTH

### TO PROFILE

P3-3, P22-1, P22-2, P22-3, P22-7, P22-8, P22-10, GK22-7

## C7 PRISM



### COLOUR - TRANSMITTANCE

Prism UGR<19; 90,5%



### LENGTH

1000 mm  
2000 mm  
3000 mm

### TO PROFILE

P3-3, P22-1, P22-2, P22-3, P22-7, P22-8, P22-10, GK22-7

## C8



### COLOUR - TRANSMITTANCE


<input type="radio"/> Transparent	98%	1000 mm
<input type="radio"/> Opal	70%	2000 mm
		3000 mm

### LENGTH

### TO PROFILE

P24-2

## C9



### COLOUR - TRANSMITTANCE


<input type="radio"/> Transparent	98%	1000 mm
<input type="radio"/> Opal	70%	2000 mm
		3000 mm

### LENGTH

### TO PROFILE

P25-1, P25-2, P25-3

## C10



### COLOUR - TRANSMITTANCE


<input type="radio"/> Transparent	98%	1000 mm
<input type="radio"/> Opal	70%	2000 mm
<input checked="" type="radio"/> Black	38%	3000 mm
		10 m (roll)

### LENGTH

### TO PROFILE

P4-2, P6-6, P12-2

## C11



### COLOUR - TRANSMITTANCE



<input type="radio"/> Transparent	98%	1000 mm
<input type="radio"/> Opal	70%	2000 mm
<input type="radio"/> Matt Opal	63%	3000 mm
<input checked="" type="radio"/> Black	38%	

### LENGTH

### TO PROFILE

P2-1, P2-2, P3-1, P3-4, P4-1, P4-3, P4-10, P5-1, P5-2, P5-4, P5-10, P6-1, P6-2, P6-2.5, P6-3, P6-5, P7-1, P8-1, P18-2, P18-3, P18-4, GK6-3, GK18-3

## C12



### COLOUR - TRANSMITTANCE


<input type="radio"/> Opal	70%	1000 mm
		2000 mm

### LENGTH

### TO PROFILE

P12-1

## C13



### COLOUR - TRANSMITTANCE


<input type="radio"/> Transparent	98%	1000 mm
<input type="radio"/> Opal	70%	2000 mm
<input type="radio"/> Matt Opal	63%	3000 mm
<input type="radio"/> Black	38%	10 m (roll)
<input type="radio"/> Montage	0%	

### LENGTH

### TO PROFILE

P2-1, P2-2, P3-1, P3-4, P4-1, P4-3, P4-10, P5-1, P5-2, P5-4, P5-10, P6-1, P6-2, P6-2.5, P6-3, P6-5, P7-1, P8-1, P10-1, P15-1, P16-1, P17-1, P17-2, P17-3, P17-4, P18-1, P18-2, P18-3, P18-4, P19-1, P26-1, P26-2, P26-3, GK4-1, GK4-2, GK6-3, GK18-3, GK26-3

## C15



### COLOUR - TRANSMITTANCE



<input type="radio"/> Transparent	98%	1000 mm
<input type="radio"/> Opal	70%	2000 mm
<input type="radio"/> Matt Opal	63%	3000 mm
<input type="radio"/> Black	38%	10 m (roll)
<input type="radio"/> Montage	0%	

### LENGTH

### TO PROFILE

P13-2, P13-3, P13-10, P14-2, P14-3, GK4-3, GK14-3

## C15 PRISM



### COLOUR - TRANSMITTANCE



<input type="radio"/> Prism	UGR<19; 90,5%	1000 mm
		2000 mm
		3000 mm

### LENGTH

### TO PROFILE

P13-2, P13-3, P13-10, P14-2, P14-3, GK4-3, GK14-3

## C16



### COLOUR - TRANSMITTANCE


<input type="radio"/> Transparent	98%	1000 mm
<input type="radio"/> Opal	70%	2000 mm
<input type="radio"/> Aluminium	0%	3000 mm

### LENGTH

### TO PROFILE

P27-1, P27-2, P27-3, P27-7, GK27-7

## C17



### COLOUR - TRANSMITTANCE

<input type="radio"/> Opal	70%	1000 mm
		2000 mm
		3000 mm



### LENGTH

### TO PROFILE

P3-2, P3-6

**NEW**

## C18



### COLOUR - TRANSMITTANCE

Opal 70%



### LENGTH

1000 mm  
2000 mm  
3000 mm

### TO PROFILE

P3-2, P3-6

## C19



### COLOUR - TRANSMITTANCE

Opal 70%


### LENGTH

1000 mm  
2000 mm

### TO PROFILE

P10-4

## C20



### COLOUR - TRANSMITTANCE

Opal 70%


### LENGTH

1000 mm  
2000 mm

### TO PROFILE

P10-3

## C21



### COLOUR - TRANSMITTANCE

Transparent 98%  
 Opal 70%


### LENGTH

1000 mm  
2000 mm  
3000 mm

### TO PROFILE

P3-5, P4-4, P6-4

## C22



### COLOUR - TRANSMITTANCE

Transparent 98%  
 Opal 70%  
 Matt Opal 63%


### LENGTH

1000 mm  
2000 mm  
3000 mm

### TO PROFILE

P2-1, P2-2, P3-1, P3-4, P4-1, P4-3, P4-10, P5-1, P5-2, P5-4, P5-10, P6-1, P6-2, P6-2.5, P6-3, P6-5, P7-1, P8-1, P18-2, P18-3, P18-4, GK6-3, GK18-3

## C23



### COLOUR - TRANSMITTANCE


<input type="radio"/> Transparent	98%	1000 mm
<input type="radio"/> Opal	70%	2000 mm
<input type="radio"/> Matt Opal	63%	3000 mm

### LENGTH

### TO PROFILE

P13-2, P13-3, P13-10, P14-2, P14-3, GK14-3

## C24



### COLOUR - TRANSMITTANCE

<input type="radio"/> Transparent	98%	1000 mm
<input type="radio"/> Opal	70%	2000 mm

### LENGTH

### TO PROFILE

P24-3

**NEW**

# STANDARD

	C0	C1	C2	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24	
P2-1		■		■							■		■									■		
P2-2		■		■							■		■									■		
P3-1		■		■							■		■									■		
P3-2																■	■							
P3-3							■																	
P3-4		■		■							■		■										■	
P3-5																				■				
P3-6																■	■							
P4-1		■		■							■		■									■		
P4-2										■														
P4-3		■		■							■		■									■		
P4-4																				■				
P4-10		■		■							■		■									■		
P5-1		■		■							■		■									■		
P5-2		■		■							■		■									■		
P5-4		■		■							■		■									■		
P5-10		■		■							■		■									■		
P6-1		■		■							■		■									■		
P6-2		■		■							■		■									■		
P6-2.5		■		■							■		■									■		
P6-3		■		■							■		■									■		
P6-4																				■				
P6-5		■		■							■		■									■		
P6-6										■														
P7-1		■		■							■		■									■		
P8-1		■		■							■		■									■		
P9-1																								
P10-1		■		■									■											
P10-3																				■				
P10-4																			■					
P10-6																								
P10-8																								
P10-10																								
P12-1												■												
P12-2										■														

■ available end caps      ■ without end caps



# STANDARD

	C0	C1	C2	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24	
P13-1			■																					
P13-2														■									■	
P13-3														■									■	
P13-10														■									■	
P14-1			■																					
P14-2														■									■	
P14-3														■									■	
P15-1		■		■									■											
P16-1		■		■									■											
P17-1		■		■									■											
P17-2		■		■									■											
P17-3		■		■									■											
P17-4		■		■									■											
P18-1		■		■									■											
P18-2		■		■								■		■									■	
P18-3		■		■									■										■	
P18-4		■		■									■										■	
P19-1		■		■									■											
P25-1													■											
P25-2													■											
P25-3													■											

# PLASTER-IN

	C0	C1	C2	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24	
GK4-1		■		■									■											
GK4-2		■		■									■											
GK4-3														■										
GK6-3		■		■								■		■									■	
GK14-3														■									■	
GK18-3		■		■								■		■									■	
GK22-7																								
GK23-7																								
GK26-3		■		■									■											
GK27-7																								

■ available end caps    ■ without end caps

# HERMETIC

	C0	C1	C2	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24	
P11-1					■																			
P11-2					■																			
P11-3					■																			
P24-1					■																			
P24-2					■			■																
P24-3					■																			■

# ARCHITECTURAL

	C0	C1	C2	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24	
P1-1	■																							
P20-1						■																		
P21-1						■																		
P22-1							■																	
P22-2							■																	
P22-3							■																	
P22-7							■																	
P22-8							■																	
P22-10							■																	
P23-1						■																		
P23-2						■																		
P23-3						■																		
P23-7						■																		
P23-8						■																		
P23-10						■																		
P26-1		■		■		■							■											
P26-2		■		■		■							■											
P26-3		■		■		■							■											
P27-1															■									
P27-2															■									
P27-3															■									
P27-7															■									

■ available end caps    ■ without end caps

# PROFILE CHARACTERISTICS

Tech Light aluminium profiles comply with the RoHS Directive 2011/65/EU as amended by (EU) 2015/863.

## ALUMINIUM TESTED FOR:


TESTED ITEM	RESULT	MDL	LIMIT
Lead (Pb)	N.D.	2 mg/kg	1000mg/kg
Cadmium (Cd)	N.D.	2 mg/kg	1000mg/kg
Mercury (Hg)	N.D.	2 mg/kg	1000mg/kg
Hexavalent Chromium (Cr(VI))	N.D.	0.10 ug/cm <sup>2</sup> (LOQ)	1000mg/kg

### COMMENTS:

- MDL = METHOD DETECTION LIMIT
- N.D. = NOT DETECTED
- 1000 MG/KG = 0.1%

## TOLERANCES

Length tolerance according to ISO 2768-9.  
Products (profiles and covers) made with positive tolerance.



Premium **solutions** at Your **fingertips**



#### HQ

Nowogrodzka 31  
00-511 Warszawa

#### OFFICE

Kresowa 14  
05-462 Duchnów

+48 22 602 22 31  
+48 22 266 22 51

[www.tech-light.com.pl](http://www.tech-light.com.pl)  
[info@tech-light.com.pl](mailto:info@tech-light.com.pl)

