




LED PROFILES

2025



TECH[®]
LIGHT

CONTENTS

STANDARD PROFILES 2

P2-1	2
P2-2	2
P3-1	2
P3-2	2
P3-3	3
P3-4	3
P3-5	3
P3-6	3
P4-1	3
P4-2	4
P4-3	4
P4-4	4
P4-10	4
P5-1	4
P5-2	5
P5-2.5	5
P5-4	5
P5-10	5
P6-1	5
P6-2	6
P6-2.5	6
P6-3	6
P6-3.5	6
P6-4	6
P6-5	7
P6-6	7
P7-1	7
P8-1	7
P9-1	7
P10-1	8
P10-3	8
P10-4	8
P10-6	8
P10-8	8
P10-10	9
P12-1	9
P12-2	9
P13-1	9
P13-2	9

P13-3	10
P13-10	10
P14-1	10
P14-2	10
P14-3	10
P14-3.5	11
P15-1	11
P16-1	11
P17-1	11
P17-2	11
P17-3	12
P17-4	12
P18-1	12
P18-2	12
P18-3	12
P18-3.5	13
P18-4	13
P19-1	13
P25-1	13
P25-2	13
P25-3	14

HERMETIC PROFILES 15

P11-1	15
P11-2	15
P11-3	15
P11-4	15
P24-1	16
P24-2	16
P24-3	16

PLASTER-IN PROFILES 17

GK1-1	17
GK1-2	17
GK3-1	17
GK4-1	17
GK4-2	18

GK4-3	18
GK5-2.5	18
GK6-3	18
GK6-3.5	18
GK11-4	19
GK14-3	19
GK14-3.5	19
GK18-3	19
GK18-3.5	19
GK22-7	20
GK23-7	20
GK26-3	20
GK27-7	20

ARCHITECTURAL PROFILES 21


P1-1	21
P20-1	21
P21-1	21
P22-1	21
P22-2	22
P22-3	22
P22-7	22
P22-8	22
P22-10	22
P23-1	23
P23-2	23
P23-3	23
P23-7	23
P23-8	23
P23-10	24
P26-1	24
P26-2	24
P26-3	24
P27-1	24
P27-2	25
P27-3	25
P27-7	25

COVERS 26

C0	26
C1	26
C2	26
C4	26
C5	27
C6	27
C6	27
C7	27
C7	27
C8	28
C9	28
C10	28
C11	28
C12	28
C13	29
C14	29
C15	29
C15	29
C16	29
C17	30
C18	30
C19	30
C20	30
C21	30
C22	31
C23	31
C24	31
C25	31

STANDARD PROFILES

P2-1



PROFILE TYPE

surface

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in gold
 painted in black
 black anodised
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P2-2



PROFILE TYPE

surface

LED TAPE WIDTH

up to 2x12 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in gold
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P3-1



PROFILE TYPE

corner

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in gold
 painted in black
 black anodised
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P3-2



PROFILE TYPE

corner

LED TAPE WIDTH

up to 10 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm,
 3000-6000 mm (on demand)

PROFILE COVERS

C17, C18

P3-3



PROFILE TYPE

corner

LED TAPE WIDTH

up to 28 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm,
 3000-6000 mm (on demand)

PROFILE COVERS

C7

P3-4



PROFILE TYPE

corner

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm,
 3000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P3-5



PROFILE TYPE

corner (micro line)

LED TAPE WIDTH

up to 5 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C21

P3-6



PROFILE TYPE

corner

LED TAPE WIDTH

up to 12 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C17, C18

P4-1



PROFILE TYPE

surface

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in gold
 painted in black
 black anodised
 anthracite grey
 raw aluminium
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P4-2



PROFILE TYPE

surface (micro line)

LED TAPE WIDTH

up to 9 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 black anodised
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C10

P4-3



PROFILE TYPE

surface (for bending)

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P4-4



PROFILE TYPE

surface (micro line)

LED TAPE WIDTH

up to 5 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 black anodised
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C21

P4-10



PROFILE TYPE

surface

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P5-1



PROFILE TYPE

surface

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in gold
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P5-2



PROFILE TYPE

surface

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in gold
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P5-2.5



PROFILE TYPE

surface

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in gold
painted in black
anthracite grey
others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P5-4



PROFILE TYPE

surface

LED TAPE WIDTH

up to 12 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in gold
painted in black
anthracite grey
others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C22

P5-10



PROFILE TYPE

surface

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P6-1



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in gold
painted in black
black anodised
anthracite grey
others - on demand

LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)


PROFILE COVERS

C1, C4, C11, C13, C14, C22

NEW

NEW

P6-2



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in gold
painted in black
black anodised
anthracite grey
others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P6-2.5



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P6-3



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P6-3.5



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P6-4



PROFILE TYPE

recessed (micro line)

LED TAPE WIDTH

up to 5 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LENGTH



1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C21

NEW

P6-5



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P6-6



PROFILE TYPE

recessed (micro line)

LED TAPE WIDTH

up to 9 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C10

P7-1



PROFILE TYPE

corner

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in gold
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P8-1



PROFILE TYPE

bar

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P9-1



PROFILE TYPE

surface

LED TAPE WIDTH

up to 16 mm

COLOUR VERSIONS



silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand

LENGTH

1000 mm, 2000 mm,
 3000-6000 mm (on demand)

PROFILE COVERS

P10-1



PROFILE TYPE

glass

LED TAPE WIDTH

up to 12 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm,
3000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C13, C14

P10-3



PROFILE TYPE

glass

LED TAPE WIDTH

up to 8 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm,
3000-6000 mm (on demand)

PROFILE COVERS

C20

P10-4



PROFILE TYPE

glass

LED TAPE WIDTH

up to 10 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand


LENGTH

1000 mm, 2000 mm,
3000-6000 mm (on demand)

PROFILE COVERS

C19

P10-6



PROFILE TYPE

glass

LED TAPE WIDTH

up to 8 mm

COLOUR VERSIONS


silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

P10-8



PROFILE TYPE

glass

LED TAPE WIDTH

up to 8 mm

COLOUR VERSIONS


silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

P10-10



PROFILE TYPE

glass

LED TAPE WIDTH

up to 10 mm

COLOUR VERSIONS


silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

P12-1



PROFILE TYPE

corner

LED TAPE WIDTH

up to 3x8 mm
up to 2x12 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C12

P12-2



PROFILE TYPE

stairs

LED TAPE WIDTH

up to 8 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C10

P13-1



PROFILE TYPE

surface

LED TAPE WIDTH

up to 28 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C2

P13-2



PROFILE TYPE

surface

LED TAPE WIDTH

up to 20 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LENGTH


1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C15, C23

NEW

P13-3



PROFILE TYPE

surface

LED TAPE WIDTH

up to 19 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C15, C23

P13-10



PROFILE TYPE

surface

LED TAPE WIDTH

up to 20 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C15, C23

P14-1



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 28 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in gold
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C2

P14-2



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 20 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C15

P14-3



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 20 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C15, C23

P14-3.5



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 20 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C15, C23

P15-1



PROFILE TYPE

skirting board

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C13, C14

P16-1



PROFILE TYPE

skirting board

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C13, C14

P17-1



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C13, C14

P17-2



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C13, C14

P17-3



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C13, C14

P17-4



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C13, C14

P18-1



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 12 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C13, C14

P18-2



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in gold
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P18-3



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P18-3.5



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P18-4



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 12 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

P19-1



PROFILE TYPE

bar

LED TAPE WIDTH

up to 12 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C13, C14

P25-1



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 11 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in gold
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C9

P25-2



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 11 mm

COLOUR VERSIONS



silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand

LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C9

P25-3
**PROFILE TYPE**

surface

LED TAPE WIDTH

up to 11 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand

LENGTH



1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C9

HERMETIC PROFILES

P11-1



PROFILE TYPE

waterproof

LED TAPE WIDTH

up to 11 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in gold
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C5

P11-2



PROFILE TYPE

waterproof

LED TAPE WIDTH

up to 11 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in gold
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C5

P11-3



PROFILE TYPE

waterproof

LED TAPE WIDTH

up to 11 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in gold
painted in black
anthracite grey
others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C5

P11-4



PROFILE TYPE

waterproof

LED TAPE WIDTH

up to 10 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in gold
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C5

P24-1



PROFILE TYPE

waterproof (walk over)

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand

LED TAPE WIDTH

up to 16 mm



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C5

P24-2



PROFILE TYPE

waterproof (walk over)

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand

LED TAPE WIDTH

up to 42 mm



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C8

P24-3



PROFILE TYPE

waterproof (walk over)

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand

LED TAPE WIDTH

up to 12 mm

LENGTH



1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C5, C24

PLASTER-IN PROFILES

GK1-1



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 12 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand

LENGTH


1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (na zamówienie)

PROFILE COVERS

C1, C4, C13, C14

NEW

GK1-2



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 12 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand

LENGTH



1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (na zamówienie)

PROFILE COVERS

C1, C4, C13, C14

NEW

GK3-1



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 12 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (na zamówienie)

PROFILE COVERS

NEW

GK4-1



PROFILE TYPE

surface

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C13, C14

GK4-2



PROFILE TYPE

surface

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C13, C14

GK4-3



PROFILE TYPE

surface

LED TAPE WIDTH

up to 15 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C15

GK5-2.5



PROFILE TYPE

surface

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in gold
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

GK6-3



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

GK6-3.5



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 13 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

GK11-4



PROFILE TYPE

recessed

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LED TAPE WIDTH

up to 10 mm


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C5

GK14-3



PROFILE TYPE

recessed

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LED TAPE WIDTH

up to 20 mm


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C15, C23

GK14-3.5



PROFILE TYPE

recessed

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LED TAPE WIDTH

up to 20 mm


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C15, C23

GK18-3



PROFILE TYPE

recessed

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LED TAPE WIDTH

up to 13 mm



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C11, C13, C14, C22

GK18-3.5



PROFILE TYPE

recessed

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LED TAPE WIDTH

up to 13 mm

LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)


PROFILE COVERS

C1, C4, C11, C13, C14, C22

NEW

NEW

GK22-7



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 24 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C7, C7 prism, C7 aluminium

GK23-7



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 40 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C6, C6 prism, C6 aluminium

GK26-3



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 14 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C13, C14

GK27-7



PROFILE TYPE

recessed

LED TAPE WIDTH

up to 48 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand

LENGTH


1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C16, C16 aluminium

ARCHITECTURAL PROFILES

P1-1



PROFILE TYPE

architectural

LED TAPE WIDTH

LED module up to 55 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm,
 3000-6000 mm (on demand)

PROFILE COVERS

C0

P20-1



PROFILE TYPE

architectural

LED TAPE WIDTH

up to 40 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C6, C6 prism, C6 aluminium

P21-1



PROFILE TYPE

architectural

LED TAPE WIDTH

up to 40 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C6, C6 prism, C6 aluminium

P22-1



PROFILE TYPE

architectural

LED TAPE WIDTH

up to 24 mm

COLOUR VERSIONS



silver anodised
 painted in white
 painted in gold
 painted in black
 anthracite grey
 others - on demand

LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C7, C7 prism, C7 aluminium

P22-2**PROFILE TYPE**

architectural

LED TAPE WIDTH

up to 24 mm

COLOUR VERSIONS



silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C7, C7 prism, C7 aluminium

P22-3**PROFILE TYPE**

architectural

LED TAPE WIDTH

up to 24 mm

COLOUR VERSIONS



silver anodised
painted in white
painted in gold
painted in black
anthracite grey
others - on demand

LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C7, C7 prism, C7 aluminium

P22-7**PROFILE TYPE**

architectural

LED TAPE WIDTH

up to 24 mm

COLOUR VERSIONS



silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C7, C7 prism, C7 aluminium

P22-8**PROFILE TYPE**

suspended

LED TAPE WIDTH

up to 30 mm

COLOUR VERSIONS



silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C7, C7 prism, C7 aluminium

P22-10**PROFILE TYPE**

architectural

LED TAPE WIDTH

up to 24 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C7, C7 prism, C7 aluminium

P23-1



PROFILE TYPE

architectural

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LED TAPE WIDTH

up to 40 mm



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C6, C6 prism, C6 aluminium

P23-2



PROFILE TYPE

architectural

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LED TAPE WIDTH

up to 40 mm


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C6, C6 prism, C6 aluminium

P23-3



PROFILE TYPE

architectural

COLOUR VERSIONS

silver anodised
painted in white
painted in gold
painted in black
anthracite grey
others - on demand

LED TAPE WIDTH

up to 40 mm


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C6, C6 prism, C6 aluminium

P23-7



PROFILE TYPE

architectural

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LED TAPE WIDTH

up to 40 mm



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C6, C6 prism, C6 aluminium

P23-8



PROFILE TYPE

suspended

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand

LED TAPE WIDTH

up to 50 mm



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C6, C6 prism, C6 aluminium

P23-10



PROFILE TYPE

architectural

LED TAPE WIDTH

up to 40 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C6, C6 prism, C6 aluminium

P26-1



PROFILE TYPE

architectural

LED TAPE WIDTH

up to 16 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C13, C14

P26-2



PROFILE TYPE

architectural

LED TAPE WIDTH

up to 16 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C6, C13, C14, C6 aluminium

P26-3



PROFILE TYPE

architectural

LED TAPE WIDTH

up to 14 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C1, C4, C6, C13, C14, C6 aluminium

P27-1



PROFILE TYPE

architectural

LED TAPE WIDTH

up to 48 mm

COLOUR VERSIONS

silver anodised
 painted in white
 painted in black
 anthracite grey
 others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
 4000-6000 mm (on demand)

PROFILE COVERS

C16, C16 aluminium

P27-2



PROFILE TYPE

architectural

LED TAPE WIDTH

up to 48 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C16, C16 aluminium

P27-3



PROFILE TYPE

architectural

LED TAPE WIDTH

up to 48 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand


LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C16, C16 aluminium

P27-7



PROFILE TYPE

architectural

LED TAPE WIDTH

up to 48 mm

COLOUR VERSIONS

silver anodised
painted in white
painted in black
anthracite grey
others - on demand



LENGTH

1000 mm, 2000 mm, 3000 mm
4000-6000 mm (on demand)

PROFILE COVERS

C16, C16 aluminium

COVERS

C0

COLOUR - TRANSMITTANCE
☐ Opal


70%

LENGTH

2000 mm

TO PROFILE

P1-1

C1

COLOUR - TRANSMITTANCE
☐ Transparent

98%

1000 mm

☐ Opal

70%

2000 mm

☐ Matt Opal

63%

3000 mm



☒ Black

38%

10 m (roll)

TO PROFILE

P2-1, P3-1, P3-4, P4-1, P4-3, P4-10, P5-1, P5-2, P5-2.5, P5-10, P6-1, P6-2, P6-2.5, P6-3, P6-3.5, P6-5, P7-1, P8-1, P10-1, P15-1, P16-1, P17-1, P17-2, P17-3, P17-4, P18-1, P18-2, P18-3, P18-3.5, P19-1, P26-1, P26-2, P26-3, GK4-1, GK4-2, GK5-2.5, GK6-3, GK6-3.5, GK18-3, GK18-3.5, GK26-3

C2

COLOUR - TRANSMITTANCE
☐ Transparent

98%

1000 mm

☐ Opal

70%

2000 mm


☒ Black

38%

3000 mm

TO PROFILE

P13-1, P14-1

C4

COLOUR - TRANSMITTANCE
☐ Opal

70%

1000 mm


2000 mm

3000 mm

TO PROFILE

P2-1, P3-1, P3-4, P4-1, P4-3, P4-10, P5-1, P5-2, P5-2.5, P5-10, P6-1, P6-2, P6-2.5, P6-3, P6-3.5, P6-5, P7-1, P8-1, P10-1, P15-1, P16-1, P17-1, P17-2, P17-3, P17-4, P18-1, P18-2, P18-3, P18-3.5, P19-1, P26-1, P26-2, P26-3, GK4-1, GK4-2, GK5-2.5, GK6-3, GK6-3.5, GK18-3, GK18-3.5, GK26-3

C5



COLOUR - TRANSMITTANCE


☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm
		3000 mm

LENGTH

TO PROFILE

P11-1, P11-2, P11-3, P24-1, P24-3

C6



COLOUR - TRANSMITTANCE



☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm
☐ Matt Opal	63%	3000 mm
☐ Black	38%	10 m (roll)
☐ Montage	0%	
☐ Aluminium	0%	

LENGTH

TO PROFILE

P20-1, P21-1, P23-1, P23-2, P23-3, P23-7, P23-8, P23-10, P26-2, P26-3, GK23-7

C6 PRISM



COLOUR - TRANSMITTANCE

☐ Prism	UGR<19; 90,5%
-----------------------------	---------------


LENGTH

1000 mm
2000 mm
3000 mm

TO PROFILE

P20-1, P21-1, P23-1, P23-2, P23-3, P23-7, P23-8, P23-10, P26-2, P26-3, GK23-7

C7



COLOUR - TRANSMITTANCE



☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm
☐ Matt Opal	63%	3000 mm
☐ Black	38%	10 m (roll)
☐ Montage	0%	
☐ Aluminium	0%	

LENGTH

TO PROFILE

P3-3, P22-1, P22-2, P22-3, P22-7, P22-8, P22-10, GK22-7

C7 PRISM



COLOUR - TRANSMITTANCE


☐ Prism	UGR<19; 90,5%
-----------------------------	---------------

LENGTH

1000 mm
2000 mm
3000 mm

TO PROFILE

P3-3, P22-1, P22-2, P22-3, P22-7, P22-8, P22-10, GK22-7

C8


COLOUR - TRANSMITTANCE

☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm
		3000 mm

LENGTH

TO PROFILE

P24-2

C9


COLOUR - TRANSMITTANCE

☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm
		3000 mm

LENGTH

TO PROFILE

P25-1, P25-2, P25-3

C10


COLOUR - TRANSMITTANCE

☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm
☒ Black	38%	3000 mm
		10 m (roll)

LENGTH

TO PROFILE

P4-2, P6-6, P12-2

C11


COLOUR - TRANSMITTANCE

☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm
☐ Matt Opal	63%	3000 mm
☒ Black	38%	

LENGTH

TO PROFILE

P2-1, P3-1, P3-4, P4-1, P4-3, P4-10, P5-1, P5-2, P5-2.5, P5-10, P6-1, P6-2, P6-2.5, P6-3, P6-3.5, P6-5, P7-1, P8-1, P18-2, P18-3, P18-3.5, GK5-2.5, GK6-3, GK6-3.5, GK18-3, GK18-3.5,

C12

COLOUR - TRANSMITTANCE


☐ Opal	70%	1000 mm
		2000 mm

LENGTH

TO PROFILE

P12-1

C13



COLOUR - TRANSMITTANCE


☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm
☐ Matt Opal	63%	3000 mm
☒ Black	38%	10 m (roll)
☒ Montage	0%	

LENGTH

TO PROFILE

P2-1, P3-1, P3-4, P4-1, P4-3, P4-10, P5-1, P5-2, P5-2.5, P5-10, P6-1, P6-2, P6-2.5, P6-3, P6-3.5, P6-5, P7-1, P8-1, P10-1, P15-1, P16-1, P17-1, P17-2, P17-3, P17-4, P18-1, P18-2, P18-3, P18-3.5, P19-1, P26-1, P26-2, P26-3, GK4-1, GK4-2, GK5-2.5, GK6-3, GK6-3.5, GK18-3, GK18-3.5, GK26-3

C14



COLOUR - TRANSMITTANCE


☐ Transparent	98%	10 m (roll)
☐ Opal	70%	

LENGTH

TO PROFILE

P4-3 *(for bending)

C15



COLOUR - TRANSMITTANCE



☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm
☐ Matt Opal	63%	3000 mm
☒ Black	38%	10 m (roll)
☒ Montage	0%	

LENGTH

TO PROFILE

P13-2, P13-10, P14-2, P14-3, P14-3.5, GK4-3, GK14-3, GK14-3.5

C15 PRISM



COLOUR - TRANSMITTANCE



☐ Prism	UGR<19; 90,5%	1000 mm
		2000 mm
		3000 mm

LENGTH

TO PROFILE

P13-2, P13-10, P14-2, P14-3, P14-3.5, GK4-3, GK14-3, GK14-3.5

C16



COLOUR - TRANSMITTANCE

☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm
☒ Aluminium	0%	3000 mm



LENGTH

TO PROFILE

P27-1, P27-2, P27-3, P27-7, GK27-7

NEW

NEW

C17


COLOUR - TRANSMITTANCE


☐ Opal 70%

LENGTH

 1000 mm
 2000 mm
 3000 mm

TO PROFILE

P3-2, P3-6

C18


COLOUR - TRANSMITTANCE


☐ Opal 70%

LENGTH

 1000 mm
 2000 mm
 3000 mm

TO PROFILE

P3-2, P3-6

C19


COLOUR - TRANSMITTANCE


☐ Opal 70%

LENGTH

 1000 mm
 2000 mm

TO PROFILE

P10-4

C20


COLOUR - TRANSMITTANCE


☐ Opal 70%

LENGTH

 1000 mm
 2000 mm

TO PROFILE

P10-3

C21


COLOUR - TRANSMITTANCE

☐ Transparent 98%
☐ Opal 70%


LENGTH

 1000 mm
 2000 mm
 3000 mm

TO PROFILE

P3-5, P4-4, P6-4

C22



COLOUR - TRANSMITTANCE


☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm
☐ Matt Opal	63%	3000 mm

LENGTH

TO PROFILE

P2-1, P3-1, P3-4, P4-1, P4-3, P4-10, P5-1, P5-2, P5-2.5, P5-10, P6-1, P6-2, P6-2.5, P6-3, P6-3.5, P6-5, P7-1, P8-1, P18-2, P18-3, P18-3.5, GK5-2.5, GK6-3, GK6-3.5, GK18-3, GK18-3.5

C23



COLOUR - TRANSMITTANCE



☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm
☐ Matt Opal	63%	3000 mm

LENGTH

TO PROFILE

P13-2, P13-10, P14-2, P14-3, P14-3.5, GK14-3, GK14-3.5

C24



COLOUR - TRANSMITTANCE



☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm

LENGTH

TO PROFILE

P24-3

C25



COLOUR - TRANSMITTANCE

☐ Transparent	98%	1000 mm
☐ Opal	70%	2000 mm

LENGTH

TO PROFILE

P13-2, P13-3, P14-2, P14-3, P14-3.5, GK14-3, GK14-3.5

NEW

NEW

STANDARD

	C0	C1	C2	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24	C25
P2-1																									
P2-2																									
P3-1																									
P3-2																									
P3-3																									
P3-4																									
P3-5																									
P3-6																									
P4-1																									
P4-2																									
P4-3																									
P4-4																									
P4-10																									
P5-1																									
P5-2																									
P5-2.5																									
P5-4																									
P5-10																									
P6-1																									
P6-2																									
P6-2.5																									
P6-3																									
P6-3.5																									
P6-4																									
P6-5																									
P6-6																									
P7-1																									
P8-1																									
P9-1																									
P10-1																									
P10-3																									
P10-4																									
P10-6																									
P10-8																									
P10-10																									
P12-1																									



available end caps



without end caps



for bending

STANDARD

	C0	C1	C2	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24	C25
P12-2																									
P13-1																									
P13-2																									
P13-3																									
P13-10																									
P14-1																									
P14-2																									
P14-3																									
P14-3.5																									
P15-1																									
P16-1																									
P17-1																									
P17-2																									
P17-3																									
P17-4																									
P18-1																									
P18-2																									
P18-3																									
P18-3.5																									
P18-4																									
P19-1																									
P25-1																									
P25-2																									
P25-3																									



available end caps



without end caps

HERMETIC

	C0	C1	C2	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24	C25
P11-1																									
P11-2																									
P11-3																									
P11-4																									
P24-1																									
P24-2																									
P24-3																									

ARCHITECTURAL

	C0	C1	C2	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24	C25
P1-1																									
P20-1																									
P21-1																									
P22-1																									
P22-2																									
P22-3																									
P22-7																									
P22-8																									
P22-10																									
P23-1																									
P23-2																									
P23-3																									
P23-7																									
P23-8																									
P23-10																									
P26-1																									
P26-2																									
P26-3																									
P27-1																									
P27-2																									
P27-3																									
P27-7																									



available end caps



without end caps

PLASTER-IN

	C0	C1	C2	C4	C5	C6	C7	C8	C9	C10	C11	C12	C13	C14	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24	C25
GK1-1																									
GK1-2																									
GK3-1																									
GK4-1																									
GK4-2																									
GK4-3																									
GK5-2.5																									
GK6-3																									
GK6-3.5																									
GK11-4																									
GK14-3																									
GK14-3.5																									
GK18-3																									
GK18-3.5																									
GK22-7																									
GK23-7																									
GK26-3																									
GK27-7																									



available end caps



without end caps

PROFILE CHARACTERISTICS

Tech Light aluminium profiles comply with the RoHS Directive 2011/65/EU as amended by (EU) 2015/863.

ALUMINIUM TESTED FOR:


TESTED ITEM	RESULT	MDL	LIMIT
Lead (Pb)	N.D.	2 mg/kg	1000mg/kg
Cadmium (Cd)	N.D.	2 mg/kg	1000mg/kg
Mercury (Hg)	N.D.	2 mg/kg	1000mg/kg
Hexavalent Chromium (Cr(VI))	N.D.	0.10 ug/cm ² (LOQ)	1000mg/kg

COMMENTS:

- MDL = METHOD DETECTION LIMIT
- N.D. = NOT DETECTED
- 1000 MG/KG = 0.1%

TOLERANCES

Length tolerance according to ISO 2768-9.
Products (profiles and covers) made with positive tolerance.



Premium **solutions** at Your **fingertips**



HQ

Nowogrodzka 31
00-511 Warszawa

OFFICE

Kresowa 14
05-462 Duchnów

+48 22 602 22 31
+48 22 266 22 51

www.tech-light.com.pl
info@tech-light.com.pl

